



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/406,798	09/28/1999	HIROSI TUNODA	991094	1948
23850	7590	06/04/2004	EXAMINER	
ARMSTRONG, KRATZ, QUINTOS, HANSON & BROOKS, LLP			MISLEH, JUSTIN P	
1725 K STREET, NW			ART UNIT	
SUITE 1000			PAPER NUMBER	
WASHINGTON, DC 20006			2612	
DATE MAILED: 06/04/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/406,798

Applicant(s)

TUNODA, HIROSI

Examiner

Justin P Misleh

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 May 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 - 27 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 - 27 is/are rejected.
- 7) ☒ Claim(s) 1, 7, 13, 19, 22 and 25 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 September 1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to Claims 1 – 27 have been considered but are moot in view of the new grounds of rejection.

Specification

2. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

Claim Objections

3. **Claims 1, 7, 13, 19, 22, and 25** are objected to because of the following informalities: vague, indefinite, and an antecedent basis issue.

Claim 1 recites therein, “measuring the amount of the image data stored in the storage medium until reaching a predetermined amount of data at the completion of the operations for the first group.” The above-underlined limitation is vague and indefinite, as it does not define “the first group”. Moreover, referring to “the first group” presents an antecedent basis issue because no “first group” had been previously defined. For the purposes of examination, the Examiner will interpret the above-underlined limitation according to figure 9A. Figure 9A shows counting number of frames of the present group (S111) after each image pickup operation (S104). Therefore, the Examiner will interpret the above-limitation as the following: measuring the amount of the image data stored in the storage medium until reaching a predetermined

Art Unit: 2612

amount of data at the completion of an image pickup operation. **Claims 7, 13, 19, 22, and 25**

recite a similar issue and have been interpreted by the Examiner accordingly.

Appropriate correction is required.

4. **Claims 7 and 22** are objected to because of the following informalities: a minor typographical error.

Claims 7 and 22 recite both “record instructing device” and “record instructing means”.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

6. **Claims 1, 3, 4, 7, 9, 10, 13, 15, 16, 19, 21, 22, 24, 25 and 27** are rejected under 35

U.S.C. 102(e) as being anticipated by Fukushima et al.

7. For **Claims 1 and 19 (see objection above)**, Fukushima et al. disclose, as shown in figures 1 and 2 and as stated in columns 6 (lines 17 – 25 and 32 – 39), 7 (lines 17 – 19 and 40 – 67), 8 (lines 6 – 13, 18 – 20, 27 – 31, and 37 – 46), and 10 (lines 3 – 53), a method for recording image, comprising the steps of:

Art Unit: 2612

storing (S8; see figure 2) image data continuously (while both SW1 and SW2 are depressed; see figure 2) obtained by an image pickup operation in a storage medium (memory part 6; see column 10, lines 23 – 29 and 38 – 48);

measuring (S11; see figure 2) the amount of the image data (RECCNT; see column 7, lines 17 – 19) stored in the storage medium (6) until reaching a predetermined amount of data (CTH; see column 8, lines 9 – 13) at the completion of an image pickup operation (S11 is after the image pickup operation of S7);

and recording (S15; see figure 2) each piece of the image data being stored in the storage medium (6) into a non-volatile recording medium (8), without pausing, interrupting or reducing the rate of recording at the time of image pickup (see column 10, lines 38 – 48), during the step of storing in the storage medium (6) each piece of image data continuously obtained by the image pickup operation, after reaching the predetermined amount of data (CTH) at the completion of an image pickup operation.

8. For **Claims 7 and 22 (see objections above)**, Fukushima et al. disclose, as shown in figures 1 and 2 and as stated in columns 6 (lines 17 – 25 and 32 – 39), 7 (lines 17 – 19 and 40 – 67), 8 (lines 6 – 13, 18 – 20, 27 – 31, and 37 – 46), and 10 (lines 3 – 53), an image pickup apparatus (see figure 1) comprising:

an optical lens (1);

an image pickup device (3) for taking image through the optical lens (1);

storage instructions device (10) for storing (S8; see figure 2) image data continuously (while both SW1 and SW2 are depressed; see figure 2) obtained by an image pickup operation (S7; see figure 2) of the image pickup device (3) in a storage medium (6);

Art Unit: 2612

record instructing device (10) for allowing a record (S15; see figure 2) the image data from the storage medium (6) to a non-volatile recording medium (8);

measuring device (14) for measuring of the amount of image data (RECCNT; see column 7, lines 17 – 19) stored in the storage medium (6) until reaching a predetermined amount of data (CTH; see column 8, lines 9 – 13) at the completion of an image pickup operation (S11 is after the image pickup operation of S7); and

parallel processing instruction device (14), for instructing the record instructing device (14) to record into a non-volatile recording medium (8) each piece of the image data being stored in the storage medium (6), without pausing, interrupting or reducing the rate of recording at the time of image pickup (see column 10, lines 38 – 48) during the storing operation of each piece of image data continuously obtained by the image pickup operation, after reaching the predetermined amount of data (CTH) at the completion of an image pickup operation.

9. For **Claims 13 and 25 (see objection above)**, Fukushima et al. disclose, as shown in figures 1 and 2 and as stated in columns 6 (lines 17 – 25 and 32 – 39), 7 (lines 17 – 19 and 40 – 67), 8 (lines 6 – 13, 18 – 20, 27 – 31, and 37 – 46), and 10 (lines 3 – 53), an image pickup apparatus (see figure 1) where image data continuously (see column 10, lines 23 – 29 and 38 – 48) obtained by an image pickup operation (S7; see figure 2) are stored (S8; see figure 2) in a storage medium (6) and the image data being stored in the storage medium (6) are recorded (S15; see figure 2) into a non-volatile recording medium (8), the image pickup apparatus (see figure 1) comprising:

an optical lens (1);

an image pickup device (3) for taking image through the optical lens (1);

Art Unit: 2612

a controller (14) which is capable of performing the following operations;

i) storing (S8) the image data (while both SW1 and SW2 are depressed; see figure 2) the storage medium (by means of memory controller 10);

ii) measuring (S11) the amount of the image data (RECCNT; see column 7, lines 17 – 19) stored in the storage medium (6) until reaching a predetermined amount of data (CTH) at the completion of an image pickup operation (S11 is after the image pickup operation of S7);

iii) recording (S15) each piece of the image data being continuously stored in the storage medium (6) into the recording medium (8), during the operation of storing each piece of image data continuously obtained by the image pickup operation, without pausing, interrupting or reducing the rate of recording at the time of image pickup (see column 10, lines 38 – 48), after reaching the predetermined amount of data at the completion of an image pickup operation.

10. As for **Claims 3, 9, 15, 21, 24, and 27**, in the rejection of the parent claims, the Examiner mainly relied upon the generic and very basic operation of Fukushima et al., as shown in figures 1 and 2 and their associated descriptions. However, the image pickup apparatus of Fukushima et al. incorporates several features not clearly shown in figures 1 and 2. The Examiner directs the Applicant to figure 3 and columns 10 (lines 58 – 67) and 11 (lines 1 – 26).

Fukushima et al. disclose converting an image signal obtained by the image pickup operation (S7) to digital image data in units of image frames (S/H – 4 and A/D – 5/1018); and compressing (compression circuit – 1020) the image data the image data before storing in the storage medium (6/1024).

11. As for **Claims 4, 10, and 16**, since Fukushima et al. disclose a continuous shot mode, it is inherent to Fukushima et al. that image data are compressed according to a motion picture compression form.

Claim Rejections - 35 USC § 103

12. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

13. **Claims 2, 5, 6, 8, 11, 12, 14, 17, 18, 20, 23, and 26** are rejected under 35 U.S.C. 103(a) as being unpatentable over Fukushima et al. in view of Anderson et al.

14. As for **Claims 2, 8, 14, 20, 23, and 26**, Fukushima et al. discloses a storage medium (6) for storing image data continuously obtained by an image pickup operation (S7) and a non-volatile recording medium (8) for recording the image data being stored in the storage medium (6). However, Fukushima et al. do not disclose storing in the storage medium (6) storage information including a start address and data length of the image data being stored in the storage medium (6) and recording the image data being stored in the storage medium (6) to the recording medium based on the storage information (8).

Anderson et al. also disclose, as shown in figures 2 – 4 and as stated in columns 3 (lines 54 – 64), 4 (lines 1 – 12, 21 – 25, and 41 – 67), and 5 (lines 1 – 48), a storage medium (RAM 60) and a non-volatile recording medium (Flash Memory 64) for storing image data. Anderson et al. disclose storing in the storage medium (60) storage information (in Data Cells 76) including a

Art Unit: 2612

start address and data length (through the use of “pointers”) of the image data being stored in the storage medium and recording the image data being stored in the storage medium to the recording medium based on the storage information (processing requests and “Compressed Image Data in Flash Memory” flags). As stated in column 2 (lines 18 – 29), at the time the invention was made, one with ordinary skill in the art would have been motivated to have stored storage information in the storage medium, including a start address and data length of the image data being stored in the storage medium, and recording the image data being stored in the storage medium to the recording medium based on the storage information as taught by Anderson et al. in the storage medium of Fukushima et al. as a means to maintain the storage medium in a condition to receive new image data from the imaging device. Therefore, at the time the invention was made, it would have been obvious to one with ordinary skill in the art to have stored storage information in the storage medium as taught by Anderson et al. in the storage medium of Fukushima et al.

15. As for **Claims 5, 11, and 17**, in the rejection of the parent claims, the Examiner mainly relied upon the generic and very basic operation of Fukushima et al., as shown in figures 1 and 2 and their associated descriptions. However, the image pickup apparatus of Fukushima et al. incorporates several features not clearly shown in figures 1 and 2. The Examiner directs the Applicant to figure 3 and columns 10 (lines 58 – 67) and 11 (lines 1 – 26).

Fukushima et al. disclose converting an image signal obtained by the image pickup operation (S7) to digital image data in units of image frames (S/H – 4 and A/D – 5/1018); and compressing (compression circuit – 1020) the image data the image data before storing in the storage medium (6/1024).

Art Unit: 2612

16. As for **Claims 6, 12, and 18**, since Fukushima et al. discloses a continuous shot mode, it is inherent to Fukushima et al. that image data are compressed according to a motion picture compression form.

Conclusion

17. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Wakui disclose a continuous shooting/recording device utilizing three separate storage medium/recording devices.


Art Unit: 2612

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Justin P Misleh whose telephone number is 703.305.8090. The Examiner can normally be reached on Monday through Thursday from 7:30 AM to 5:30 PM and on alternating Fridays from 7:30 AM to 4:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Wendy R Garber can be reached on 703.305.4929. The fax phone number for the organization where this application or proceeding is assigned is 703.872.9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM
May 28, 2004


WENDY R. GARBER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600